

號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 1 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓 以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) 樣品型號(Style/Item No.)

收件日期(Sample Receiving Date) 測試期間(Testing Period)

: PET保護膜 (PET PROTECTION TAPE)

: BS100/BSC100, BS100T/BSC100T, NS100/NSC100, NS100T/NSC100T, BS50/BSC50, BS50T/BSC50T, NS50/NSC50, NS50T/NSC50T

: 2009/10/30

2009/10/30 TO 2009/11/06

測試結果(Test Results)

: 請見下一頁 (Please refer to next pages).

Chenyu Kung / Operation Manager Signed for and on behalf of SGS TAIWAN LTD. Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 2 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓



測試結果(Test Results)

測試部位(PART NAME) NO.1

透明色塑膠膜 (含離型膜) (TRANSPARENT PLASTIC FILM (INCLUDING THE RELEASE FILM))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法,以感應 藕合電漿原子發射光譜儀檢測./ With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法,以感應 藕合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法,以感應 藕合電漿原子發射光譜儀檢測./ With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	参考IEC 62321: 2008方法,以UV- VIS檢測. / With reference to IEC 62321: 2008 and performed by UV- VIS.	2	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 3 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
多苯環芳香族化合物 / Polynuclear Aromatic Hydrocarbons (PAHs)				
Acenaphthene (CAS No.: 000083-32-9)			0.2	n.d.
Acenaphthylene (CAS No.: 000208-96-8)			0.2	n.d.
Anthracene (CAS No.: 000120-12-7)			0.2	n.d.
Benzo(a)anthracene (CAS No.: 000056- 55-3)			0.2	n.d.
Benzo(a)pyrene (CAS No.: 000050-32-8)			0.2	n.d.
Benzo(b)fluoranthene (CAS No.: 000205-99-2)			0.2	n.d.
Benzo(g,h,i)perylene (CAS No.: 000191-24-2)			0.2	n.d.
Benzo(k)fluoranthene (CAS No.: 000207-08-9)		參考ZLS standard ZEK 01.2-08方 法,以氣相層析質譜儀(GC/MS)檢測.	0.2	n.d.
Chrysene (CAS No.: 000218-01-9)	1	/ With reference to ZLS standard ZEK 01.2-08 method. Analysis was performed by GC/MS.	0.2	n.d.
Dibenzo(a,h)anthracene (CAS No.: 000053-70-3)			0.2	n.d.
Fluoranthene (CAS No.: 000206-44-0)			0.2	n.d.
Fluorene (CAS No.: 000086-73-7)			0.2	n.d.
Indeno[1,2,3-c,d] pyrene (CAS No.: 000193-39-5)			0.2	n.d.
Naphthalene (CAS No.: 000091-20-3)			0.2	n.d.
Phenanthrene (CAS No.: 000085-01-8)			0.2	n.d.
Pyrene (CAS No.: 000129-00-0)			0.2	n.d.
多苯環芳香族化合物16項總和 / Sum of 16 PAHs			-	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 4 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
多溴聯苯總和 / Sum of PBBs			-	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.
六溴聯苯 / Hexabromobiphenyl			5	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl		参考IEC 62321: 2008方法, 以氣相	5	n.d.
十溴聯苯 / Decabromobiphenyl	/1	層析儀/質譜儀檢測./ With	5	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	reference to IEC 62321: 2008 and	-	n.d.
一溴聯苯醚 / Monobromodiphenyl ether		performed by GC/MS.	5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether	1		5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	1		5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether	1		5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether	1		5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether	1		5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether	1		5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether	1		5	n.d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個别單一材質的含量.
 (The samples was/were analyzed on behalf of the applicant as mixing sample in one testing.
 The above results was/were only given as the informality value.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 5 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓



依據ZEK 01.2-08之要求:產品中最大值為

(Requirement of ZEK 01.2-08: Restraining maximum values for products)

項目 (Parameter)	第1類 (Category 1)	第2類 (Category 2)	第3類 (Category 3)
	與食品接觸或放入嘴内的	持續地(長時間)與皮膚接	暫時地(短時間)與皮膚接
	材料,以及給三歲以下的	觸逾30秒,以及不屬第1	觸但不逾30秒或不會與
	幼兒使用的玩具.	類的玩具.	皮膚接觸.
	(Materials in contact	(Materials with	(Materials with
	with foodstuff or	foreseeable skin	foreseeable skin
	materials which are	contact >30 s	contact <30 s (short
	meant to put in the	(prolonged skin	time skin contact) or
	mouth as well as toys	contact) and toys not	without skin contact.)
	for children <36	covered by category 1.)	
	months.)		
苯騈(a)芘			0.0
Benzo(a)pyrene (mg/kg)	<mdl (<0.2)**<="" td=""><td>1</td><td>20</td></mdl>	1	20
環保署規範16項PAH			
總濃度 (Sum of 16	<mdl (<0.2)**<="" td=""><td>10</td><td>200</td></mdl>	10	200
EPA-PAH) (mg/kg)*			

注意(Remark): * = PAH濃度大於0.2mg/kg時,則須計算PAH總濃度值

(Only PAH substances >0.2 mg/kg are taken into account while calculating the sum of PAHs)

** = 最大濃度值超出等級一的限制,但在等級二的濃度限制值内時,可能需要確認測試材質 是否合適於食品容器或是依照DIN EN1186ff/ § 64 LFGB 80.30-1方法,針對特定PAH的 遷移測試進行測試。遷移測試的結論需依照食品法規規範

(In case that the maximum values exceed the limits of category 1, but are within the limits of category 2, one may confirm the suitability of the tested material for contact with foodstuff or oral mucosa by additional specific migration tests of PAH components based on DIN EN 1186ff and § 64 LFGB 80.30-1. The conclusion of the migration test results must be made based on food law criteria.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 6 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓



- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 7 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓




多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 1) 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen 初次測試程序 / First testing process ———▶

選擇性篩檢程序 / Optional screen process

確認程序 / Confirmation process _ . _ ▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。




號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 8 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓



多苯環芳香族化合物分析流程圖 / PAHs (Polynuclear Aromatic Hydrocarbons) analytical flow chart

- 1) 測試人員:徐毓明 / Name of the person who made measurement: Andy Shu
- 2) 測試負責人: 陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。



號碼(No.): CE/2009/A5860A 日期(Date): 2009/11/06 頁數(Page): 9 of 9

深圳市方勝包裝制品有限公司 中國廣東省深圳市寶安35區安華工業區1巷8號5樓





** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。